

## 1200W 120V GX9.5 12/CS 1/SKU



### Product features and benefits

- Robust construction for reliable, lasting performance
- Consistent color over the life of the lamps
- Instant on and nearly constant luminous flux over the life of the lamp
- Broad product portfolio supporting the stage and studio markets
- Dimmable with traditional amber shift

### Areas of application

- Stage and theatre
- Studio, TV and film
- Professional Photography
- Club & Disco

## Product datasheet

---

### Technical data

#### General product information

Product Number	55035
Product Name	1200W 120V GX9.5 12/CS 1/SKU
Application	VL5 & VL500 Moving Lights

#### Electrical data

Nominal Wattage	1200 W
Nominal Voltage	120 V
Type of Current	AC

#### Light technical data

Luminous Flux	34200 lm
Light Center Length - LCL (in)	2.165 in
Light Center Length - LCL (mm)	55 mm
Color Temperature	3200 K
Color Rendering Index	100
Average Rated Life	150 h

#### Physical attributes

Base	GX9.5
Bulb Shape	T8
Maximum Overall Length (in)	4.331 in
Maximum Overall Length (mm)	110 mm
Diameter d (in)	0.984 in
Diameter d (mm)	25.00 mm
Filament	C-13D
Filament Dimensions Length (in)	0.4650 in
Filament Dimensions Length (mm)	11.8 mm
Filament Dimensions Width (in)	0.59 in
Filament Dimensions Width (mm)	15 mm

#### Additional product data

Operating Position	Any
Maximum Base Temperature (°C)	350 C
Cooling	Required

---

### Packaging Information

## Product datasheet

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions L x w x h	Gross weight
55035	4052899544307	Folding box (SKU)	1	2.8 in x 2.8 in x 6.3 in	0.2 lb
55035	4052899544314	Shipping box (Case)	12	11.6 in x 8.7 in x 6.9 in	2.5 lb

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

### Disclaimer

OSRAM does not accept liability for errors, changes and omissions.