

XBO 3000W/DHS 1/CS 1/SKU



Product features and benefits

- Extremely high luminance for digital cinema projection
- Color temperature approximately 6000K - simulates daylight
- Continuous spectrum in the visible range
- High color rendering > 95
- High arc stability
- DC operation
- Hot restart

Areas of application

- Digital Projection
- Film Projection
- Spotlights
- Searchlights
- Solar Simulation

Product datasheet

Technical data

General product information

Product Number	69462
Product Name	XBO 3000W/DHS 1/CS 1/SKU
Family Brand Name	XBO
General Description	3000 Watt Xenon High Pressure Digital Cinema Barco Projection Lamp
Application	Digital Cinema Projection
Product Remark	<ul style="list-style-type: none">- S=Short- OFR=Ozone Free- s (Operating Position) = Vertical, base down- p (Operating Position) = Horizontal- Magnetic arc stabilization: necessary for horizontal operation- This lamp has positive pressure even when cold. Please read safety/warning instructions before using this lamp.

Electrical data

Nominal Wattage	3000 W
Nominal Voltage	29 V
Current (A)	105 A
Current Control Range (A)	77-113 A
Type of Current	DC

Light technical data

Light Center Length - LCL (mm)	145 mm
Color Temperature	6000 K
Average Rated Life	1500 h
Warranty Hours (hr)	1500 hrs
Service Warranty Lifetime (hr)	2000 hrs

Physical attributes

Base Anode	SFaX30-9.5
Base Cathode	SFa30-7.9
Bulb Shape	KO162
Maximum Overall Length (mm)	342 mm
Length l1 max. (mm)	342 mm
Diameter d (in)	2.126 in
Diameter d (mm)	54.00 mm

Product datasheet

Distance a (mm)	145 mm
Electrode Gap - cold (mm)	6 mm

Additional product data

Operating Position	s15 p15
Maximum Base Temperature (°C)	230 C
Cooling	Required

Packaging Information

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
69462	4008321330017	Shipping box (Case)	1	23.2 in x 9.2 in x 9 in	3.6 lb
69462	4062172030540	Shipping box (Case)	1	19.7 in x 8 in x 8 in	3.1 lb

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

OSRAM does not accept liability for errors, changes and omissions.