

# 93728 HPL 575W240V/X 12/CS 1/SKU



#### Product features and benefits

- Ultra compact filament design (UCF) for high lumen output
- Unique gas fill which improves light output and minimizes risk of arc-out
- Special heat sink base for maximum durability in high temperature applications
- Reinforced pinch seal for extra mechanical strength
- Foam packaging for easier handling and installation
- Optimum system performance with TP22H socket

### Areas of application

- Stage and theatre
- Studio, TV and film
- Architecture & Architainment

# Product datasheet

### Technical data

## **General product information**

Product Number	54703	
Product Name	93728 HPL 575W240V/X 12/CS 1/SKU	
Family Brand Name	HPL	
Application	Stage & Studio	

### **Electrical data**

Nominal Wattage	575 W
Nominal Voltage	240 V
Type of Current	AC

# Light technical data

Luminous Flux	11780 lm
Light Center Length - LCL (in)	2.352 in
Light Center Length - LCL (mm)	60.3 mm
Color Temperature	3050 K
Color Rendering Index	100
Average Rated Life	1500 h

# Physical attributes

Base	G9.5 W/HSINK		
Bulb Shape	Т6		
Maximum Overall Length (in)	4.1 in		
Maximum Overall Length (mm)	104 mm		
Length l (in)	4.1 in		
Length I (mm)	104 mm		
Length I max. (in)	4.1 in		
Length I max. (mm)	104 mm		
Diameter d (in)	0.748 in		
Diameter d (mm)	19.00 mm		
Distance a (in)	2.352 in		
Distance a (mm)	60.3 mm		
Filament	6-C8		

## Additional product data

Operating Position	Any

### Product datasheet

### **Packaging Information**

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
54703	4008321174444	Folding box (SKU)	1	1.6 in x 1.6 in x 5.1 in	0.2 lb
54703	4008321174451	Shipping box (Case)	12	6.9 in x 5.8 in x 5.7 in	2.1 lb
54703	4052899246867	Shipping box (Case)	12	7 in x 5.4 in x 6 in	2.6 lb

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Disclaimer

OSRAM does not accept liability for errors, changes and omissions.