

BATTERYcharge 901




Совместимость с системой
Старт/Стоп

Подходит для автомобилей с
системой Старт/Стоп



Зимний режим

Защищает аккумулятор при низких
температурах



Гарантия OSRAM – 2 года

Система управления качеством
лежит в основе высоких
функциональных характеристик и
надежности наших продуктов.
Инновационные технологии и
безупречное исполнение - то, что
безусловно получают наши клиенты.



Умные зарядные устройства и приспособления для обслуживания с многоступенчатым циклом зарядки
The OSRAM BATTERYcharge 901 is a 1A smart charger and battery maintainer for 6V and 12V vehicles including motorbikes and most smaller vehicles. 7 stage charging cycle at the touch of a button for Lithium batteries with only a 9-stage cycle of Lead Acid/AGM batteries. Connect and be sure that the battery charger is charging and maintaining your vehicle battery as it automatically adjusts to long-term maintenance mode when battery is full. Includes a digital display to make the charging process easier and a host of safety features including reverse polarity and short-circuit protection. In addition, OSRAM provides a 2-year guarantee on this product*

Техническое описание продукта

Technical data

Информация о продукте

Применение (категория и специфика)	Smart battery charger
------------------------------------	-----------------------

Электрические параметры

Зарядка (до)	1.0 A
Поддержка заряда (до)	1.0 A
Макс. емкость заражаемой батареи	25 А·ч
Макс. емкость заражаемой батареи	n/a

Размеры и вес



Длина	1100 mm
Ширина	400 mm
Высота	550 mm
Длина кабеля питания	1.25 m
Длина кабеля с зажимами	1.25 m + 0.3 m

Дополнительные данные

Рекомендуется использовать с	Motorcycle, Car
Ступеней зарядки: свинцовые, AGM, EFB	9
Ступеней зарядки: литиевые аккумуляторы	7
Подключение аккумулятора	O-rings, Crocodile Clamps

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	07-03-2024
Primary Article Identifier	4062172248563

Техническое описание продукта

Candidate List Substance 1	Lead
CAS No. of substance 1	7439-92-1
Safe Use Instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.
Declaration No. in SCIP database	c2972d61-7b43-4849-8617-fbf479892cae



Detail



Detail



Detail

Данные для заказа

Product code	Описание продукта	Упаковка (цена/шт.)	Размеры (длина x ширина x высота)	Объем	Вес брутто
4062172248563	BATTERY charge 901	Folding carton box 1	90 mm x 80 mm x 185 mm	1.33 дм³	410.00 g
4062172248570	BATTERY charge 901	Shipping carton box 4	206 mm x 186 mm x 251 mm	9.62 дм³	2040.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Загрузка данных

Файл
 User instruction BATTERYcharge

Соответствие стандартам

* Условия предоставления гарантии приведены на сайте

www.osram.ru/am-guarantee

Техническое описание продукта

Рекомендации по установке:

Подробное описание, инструкции и чертежи приведены в спецификации продукта.

Рекомендации по применению

Для получения дополнительной информации и изображения продукции, пожалуйста, ознакомьтесь с инструкцией.

Примечание

В заказ могут быть внесены изменения без предварительного уведомления. Проверьте информацию на наличие ошибок. Убедитесь, что информация актуальна.

The OSRAM logo is displayed in a bold, orange, sans-serif font.