

# NIGHT BREAKER LED W5W CARSPECIFIC



**Universal Polarity**

Installation independent of polarity possible



**6000 Kelvin**

Cool white color temperature



Простая установка по принципу **Plug & Play**

Quick and easy upgrade to LED technology with plug & play solution



**Street-Legal1)**

The NIGHT BREAKER LED family - OSRAM's first street-legal1) LED retrofit lamps.



With the NIGHT BREAKER W5W-LED, OSRAM's first street legal1) W5W-LED replacement lamp is now on the market. With the street-legal1) NIGHT BREAKER W5W-LED you can now upgrade the function of your parking lights or position lights of your vehicle to state-of-the-art LED technology. These LED replacement lamps are suitable as a replacement for conventional W5W lamps and bases. They offer a modern and intense white light with a color temperature up to 6000 Kelvin and a light output of up to 70 lm. In comparison to standard lamps, such as halogen lamps, these LED retrofit lamps consume up to 80% less energy. With the plug & play solution and the universal polarity they can be installed quickly and easily and regardless of polarity. In combination with the NIGHT BREAKER H7-LED or H4-LED you can now get the full LED upgrade for your vehicle with perfectly tailored and designed LED lamps - for exterior1) and interior applications. The NIGHT BREAKER W5W LED can be used universally in the interior of your vehicle as a replacement light source. You can now replace your vehicle lamps with OSRAM's revolutionary NIGHT BREAKER LED retrofit lamps and experience trend-setting brightness with road approval1) Additionally, OSRAM offers a dedicated guarantee on all NIGHT BREAKER LED retrofit lamps2)

## Техническое описание продукта

### Technical data

#### Информация о продукте

Product legal advice 1	1)Approved LED light source - only applies to the respective countries in which there is approval or to which an equivalent approval applies and the vehicle models and light functions currently listed in the compatibility list. For more details see <a href="http://www.osram.com/nb-led">www.osram.com/nb-led</a>
Product legal advice 2	2) For precise conditions please refer to: <a href="http://www.osram.com/am-guarantee">www.osram.com/am-guarantee</a>
Номер заказа	2825DWNBC
Применение (категория и специфика)	Position light, Interior light


#### Электрические параметры

Мощность на входе	1 Вт
Тестовое напряжение	13,2 В
Допустимое отклонение входной мощности	±25 %
Номинальная мощность	1.00 Вт
Номинальное напряжение	12.0 В

#### Фотометрические данные

Цветовая температура	6000 K
Световой поток	70 лм
Допуск по отклонению светового потока	±25 %
Цветность светодиода	Холодный белый

#### Размеры и вес



Вес продукта	1.70 g
Длина	25.4 mm
Диаметр	9.4 mm

## Техническое описание продукта

### Срок службы

Срок службы Tc	3000 h
Продолжительность жизни B3	1500 h

### Дополнительные данные

Цоколь	W2.1x9.5d
--------	-----------

### Возможности / мощности

Технология	LED
------------	-----

### Сертификаты и Стандарты

Стандарты	ABG
-----------	-----

### Классификация

Номер заказа	2825DWNBC
--------------	-----------

### Environmental information


Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	07-05-2024
Primary Article Identifier	4062172352239   4062172353625
Declaration No. in SCIP database	In work

### Данные для заказа

Product code	Описание продукта	Упаковка (цена/шт.)	Размеры (длина x ширина x высота)	Объем	Вес брутто
4062172352239	NIGHT BREAKER W5W LED	Blister 2	135 mm x 95 mm x 13 mm	0.17 дм <sup>3</sup>	14.00 g
4062172352246	NIGHT BREAKER W5W LED	Shipping carton box 10	71 mm x 104 mm x 146 mm	1.08 дм <sup>3</sup>	107.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Загрузка данных

Файл
 Brochures LEDriving Retrofits - Exchange overview (EN)

## Техническое описание продукта

### Советы по безопасности

Application advice: For more detailed application information and graphics please see product datasheet and user manual.

### Соответствие стандартам

1) Approved LED light source - only applies to the respective countries in which there is approval or to which an equivalent approval applies and the vehicle models and light functions currently listed in the compatibility list. For more details see [www.osram.com/nb-led](http://www.osram.com/nb-led)

2) For precise conditions refer to: [www.osram.com/am-guarantee](http://www.osram.com/am-guarantee)

### Рекомендации по применению

Для получения дополнительной информации и изображения продукции, пожалуйста, ознакомьтесь с инструкцией.

### Примечание

В заказ могут быть внесены изменения без предварительного уведомления. Проверьте информацию на наличие ошибок. Убедитесь, что информация актуальна.

The OSRAM logo is displayed in a bold, orange, sans-serif font.