


LEDambient Trunk Light



Universal LED trunk light with acceleration and brightness sensor

For higher visibility in everyday situations



Multi-function 2 in 1

Applicable as trunk and torch light



Easy car side fixation via magnet and additional mounting plate

Strong magnet for a quick attachment



2 years OSRAM guarantee¹⁾ For precise conditions refer to: www.osram.com/am-guarantee

Powerful performance and exceptionally long service life



Направленное освещение в салоне вашего автомобиля

Introducing the universal LEDambient Trunk Light, the perfect companion for your car's storage space. Packed with advanced features and designed to enhance your convenience, this versatile light will transform the way you use the trunk. Featuring an acceleration and brightness sensor, the trunk light boasts an automatic light function that activates as soon as you open the car trunk. Our light illuminates your trunk instantly, making it effortless to find what you need. With both automatic and manual functionality, you have complete control over the lighting. With a color temperature of up to 6,000K, the trunk light provides a bright and clear illumination, allowing you to see every detail in your trunk. Very practical: With its 2 in 1 multifunction, the light can be used as an inspection lamp and as a torch light. In addition, equipped with a rechargeable 1500mAh battery, the trunk light offers long-lasting performance. The included USB-C cable allows for convenient charging, ensuring you're always prepared. Thanks to the easy car side fixation via the magnet and additional mounting plate, an easy installation is included. Simply attach the light to your car's interior using the strong magnet or the included mounting plate, and you're ready to go. The powerful magnet ensures a secure attachment, so you never have to worry about the light falling or moving while you're on the road. Trust in the quality and durability of the universal LED trunk light - OSRAM provides a 2-year guarantee¹⁾. 1) For precise conditions refer to: www.osram.com/am-guarantee

Данные о продуктовой линейке

Technical data

Описание продукта	Информация о продукте	Электрические параметры		Фотометрические данные		Размеры и вес	
	Номер заказа	Номинальное напряжение	Номинальная мощность	Световой поток	Цветовая температура	Вес продукта	Высота
LEDambient Trunk Light	LEDINT106	37 В	3000 Вт	40 лм	6000 К	10000 g	630 mm

Описание продукта	Ширина	Длина	Срок службы		Сертификаты и Стандарты
			Гарантия	Срок службы Тс	Стандарты
LEDambient Trunk Light	175 mm	1080 mm	2 years	1000 h	CE

Описание продукта	Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)			
	Date of Declaration	Primary Article Identifier	Candidate List Substance 1	Declaration No. in SCIP database
LEDambient Trunk Light	07-03-2024	4062172240062	No declarable substances contained	No declarable substances contained

Данные о продуктовой линейке

Загрузка данных

Файл	
	User instruction LEDambient TRUNK LIGHT
	Movie application LEDambient Trunk Light LEDINT106 Produkt Video DE
	Movie application LEDambient Trunk Light LEDINT106 Product Video IT

Советы по безопасности
Более детальная информация об использовании и изображения находятся в техническом паспорте и в руководстве пользователя

Рекомендации по применению
Для получения дополнительной информации и изображения продукции, пожалуйста, ознакомьтесь с инструкцией.

Примечание
В заказ могут быть внесены изменения без предварительного уведомления. Проверьте информацию на наличие ошибок. Убедитесь, что информация актуальна.