

# Cube PX Ultra-Wide Beam



## Ultra-Wide Beam Pattern

For a large-area and particularly wide light distribution



## 1500 to 4500 Lumens

Selection of 4 different power levels per beam pattern



## Matrix Portfolio

A vehicle-specific lighting set-up can be put together individually. Mix & match. Vary and combine



## IP & IK protection classes

Tested and validated in a DIN-certified environmental simulation laboratory regarding extreme external influences such as water, dust, shocks, impacts, heat, cold, permanent vibrations and many more

## Техническое описание продукта



### Professional light for professional work

With the OSRAM LEDriving Professional Series PX working lights portfolio, it is now possible to find exactly the right lighting for a wide range of special professional tasks and applications. The 16 working lights in total score points with maximum optical efficiency, effectiveness, and homogeneous light distribution. The modular series focuses on the most important aspects of worklight use: Illumination, performance, quality, shape, durability, functionality, and thus can also result in increased safety at work for you and others. The optimal factors can be selected and prioritized for each corresponding application; thus, with these high-performance lights, a complete vehicle-specific lighting set-up can be put together, that this is perfectly applicable to the respective individual requirements and needs. The working lights are suitable for 12V and 24V vehicles and a total of four beam patterns - Flood, Spot, Wide and Ultra-Wide - and four power levels - 1500lm, 2500lm, 3500lm and 4500lm - are available for each light. In addition, they can be mounted in three different ways: Direct mounting, flexible standard mounting, and heavy-duty mounting. Additionally, OSRAM has developed specially designed mounting kits and a cable with DT-connector. Validated according to the highest IP & IK protection classes IP6K8 & IP6K9K and CISPR25 Class 5, the Professional Series is designed to meet the highest OE standards and requirements of the automotive industry. OSRAM provides a 5-year guarantee on these products<sup>1)2)1)</sup> Additional working lights without ECE approval for use as work lights are approved for use on any vehicle according to German Road Traffic Licensing Regulations (StVZO) §52 (7). However, they must not be used and switched on while driving. In addition, individual special regulations, and laws of countries outside Germany must be observed.<sup>2)</sup> For precise conditions refer to: [www.osram.com/am-guarantee](http://www.osram.com/am-guarantee)

Техническое описание продукта

Technical data

Информация о продукте

|                                    |              |
|------------------------------------|--------------|
| Номер заказа                       | LEDPWL 102   |
| Применение (категория и специфика) | Рабочий свет |


Электрические параметры

|                        |         |
|------------------------|---------|
| Номинальное напряжение | 12/24 В |
| Номинальная мощность   | 3300 Вт |

Фотометрические данные

|                                    |         |
|------------------------------------|---------|
| Световой поток                     | 3500 лм |
| Цветовая температура               | 6000 К  |
| Длина луча при освещенности 1 люкс | 65 m    |

Размеры и вес



|              |         |
|--------------|---------|
| Вес продукта | 70000 g |
| Длина        | 1171 mm |
| Ширина       | 684 mm  |
| Высота       | 1134 mm |

Дополнительные данные

|                     |              |
|---------------------|--------------|
| Соединение с лампой | DT Connector |
|---------------------|--------------|

Возможности / мощности

|            |     |
|------------|-----|
| Технология | LED |
|------------|-----|

Сертификаты и Стандарты

|           |                                      |
|-----------|--------------------------------------|
| Стандарты | ECE R10/CISPR25/CLASS 5/FCC part 15b |
|-----------|--------------------------------------|

Техническое описание продукта

|            |              |
|------------|--------------|
| Тип защиты | IP6K8/IP6K9K |
|------------|--------------|

Классификация

|              |            |
|--------------|------------|
| Номер заказа | LEDPWL 102 |
|--------------|------------|

Условия поставки

|            |             |
|------------|-------------|
| Код заказа | 85122000900 |
|------------|-------------|

Environmental information

| Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) |               |
|-----------------------------------------------------------------------|---------------|
| Date of Declaration                                                   | 16-02-2024    |
| Primary Article Identifier                                            | 4062172279420 |
| Declaration No. in SCIP database                                      | In work       |

Данные для заказа

| Product code  | Описание продукта                           | Упаковка (цена/шт.)       | Размеры (длина x ширина x высота) | Объем     | Вес брутто |
|---------------|---------------------------------------------|---------------------------|-----------------------------------|-----------|------------|
| 4062172279420 | Cube PX 3500<br>ULTRA WIDE<br>LEDPWL 102-UW | Folding carton box<br>1   | 122 mm x 116 mm x 76 mm           | 1.08 дм³  | 724.00 g   |
| 4062172279437 | Cube PX 3500<br>ULTRA WIDE<br>LEDPWL 102-UW | Shipping carton box<br>10 | 391 mm x 253 mm x 135 mm          | 13.35 дм³ | 7424.00 g  |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Загрузка данных

| Файл                                                                                |                                                                                      |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
|  | User instruction<br>LEDriving PROFESSIONAL WORKING LIGHTS                            |
|  | Movie application<br>OSRAM LEDdriving and working lights Imagefilm (RU)              |
|  | Movie application<br>OSRAM Quality Testing LEDriving working and driving lights (RU) |
|  | Movie application<br>LEDriving Driving and Working Lights Reference Video (RUS)      |

|                        |
|------------------------|
| Советы по безопасности |
|------------------------|

## Техническое описание продукта

For detailed application information, please refer to the product data sheet and the user instruction

### Соответствие стандартам

1) Additional working lights without ECE approval for use as work lights are approved for use on any vehicle according to German Road Traffic Licensing Regulations (StVZO) §52 (7). However, they must not be used and switched on while driving. In addition, individual special regulations, and laws of countries outside Germany must be observed.

2) For precise conditions refer to: [www.osram.com/am-guarantee](http://www.osram.com/am-guarantee)

### Рекомендации по применению

Для получения дополнительной информации и изображения продукции, пожалуйста, ознакомьтесь с инструкцией.

### Примечание

В заказ могут быть внесены изменения без предварительного уведомления. Проверьте информацию на наличие ошибок. Убедитесь, что информация актуальна.

The OSRAM logo is displayed in a bold, orange, sans-serif font.